PRICE LIST 919-A
MARCH 13, 1964

# "Swingspout" SERVICE EQUIPMENT

## DEALER COST SHEET NET

EFFECTIVE DATE FEB. 16, 1964

| OLD NO. | MODEL NO. | EACH DIST. | NET DEALER | UNIT QTY. | PACK WT. | DESCRIPTION |
|---|---|---|---|---|---|---|
| | D 10 | | $7.60 | | | **DISPLAY** with 10# N10-SX Spouts |
| 27 | D-27 | | 41.75 | | | **DISPLAY,** Midget Canspout |
| 38 | D-38 | | 53.75 | | | **DISPLAY,** Junior Canspout |
| 650 | D-65 | | 11.00 | | | **MEASURE STAND** |
| 66E | D-66E | | 84.30 | | | **DISPLAY STAND ASSORTMENT** |
| 66W | D-66W | | 93.90 | | | **DISPLAY STAND ASSORTMENT** |
| 68 | D-68 | | 91.15 | | | **DISPLAY,** Canspout |
| 1 | N-1 | | .60 | | | **CANSPOUT,** for 1 qt. & 5 qt. Cans Plated |
| 5 | N-5 | | .90 | | | **CANSPOUT,** for 1 & 5 qt. Cans – Plated |
| 5S | N-5S | | 1.65 | | | **CANSPOUT,** for 1 & 5 qt. Cans – Plated |
| 5-SG | 5SG | | 3.45 | | | **CANSPOUT,** for 1 & 5 qt. Cans – Antifreeze – Plated |
| 5-SJ | 5SJ | | 1.35 | | | **CANSPOUT,** for 1 & 5 qt. Cans – Plated |
| 5-SJA | 5SJA | | 1.90 | | | **CANSPOUT,** for Transmission Oil – Plated |
| 5-SJD | 5SJD | | 5.00 | | | **CANSPOUT,** with Flow Control Valve–20" Spout–Plated |
| 5-SJP | 5SJP | | 1.05 | | | **CANSPOUT,** for 1 & 5 qt. Cans – Painted |
| 5-SP | 5SP | | 1.20 | | | **CANSPOUT,** for 1 & 5 qt. Cans – Painted |
| 5-SS | 5SS | | 2.25 | | | **CANSPOUT,** for 1 & 5 qt. Cans (with sidewall perforator) Plated |
| 9 | 9 | | 1.36 | | | **CANSPOUT EXTENSION** |
| 10 | N-10 | | .55 | | | **CANSPOUT,** for 1 qt. & smaller Cans – Plated |
| 10L | 10L | | .77 | | | **CANSPOUT,** for 1 qt. & smaller Cans – Plated |
| 10 LT | 10 LT | | .77 | | | **CANSPOUT,** for 1 qt. & smaller Cans – Tapered Spout –Plated |
| | 10S | | .74 | | | **CANSPOUT,** for 1 qt. & smaller Cans – Plated |
| 11 | 11 | | 2.86 | | | **PURE SPOUT** for food |
| 12 | 12 | | 2.10 | | | **JUMBOSPOUT** for dry powder |
| | 20 | | 3.03 | | | **DISPENSER,** 1 qt. Cans |
| | 21 | | .33 | | | **CANOPENER** |
| | 22 | | 4.00 | | | **DISPENSER,** Fulvue Funnel 1 & 5 qt. Cans |
| | 24 | | 4.10 | | | **DISPENSER,** Fulvue Funnel/Longspout |
| | 24F | | 4.99 | | | **DISPENSER,** Fulvue Funnel/Flexspout |
| FT-6 | 26 | | 6.04 | | | **DISPENSER,** Fulvue Funnel/A.T. Tip |
| 6000 | 67 | | 12.87 | | | **DISPENSER,** 1 qt. Sealdoil – Plated |
| 6000P | N-68 | | 9.60 | | | **DISPENSER,** 1 qt. Automatic Transmission Flexspout |
| | N-69 | | 11.35 | | | **DISPENSER,** 5 qt. Automatic Transmission |
| | N-74 | | 6.67 | | | **DISPENSER,** Fulvue Funnel/AT Tip & Screen |
| 600 | N-75 | | 11.95 | | | **DISPENSER,** 1 qt. Rigid Spout – Plated |
| 600P | 76 | | 9.57 | | | **DISPENSER,** 1 qt. Cans Rigid Spout |
| 900P | N-77 | | 10.95 | | | **DISPENSER,** 5 qt. Cans Rigid Spout |
| 900PF | 79 | | 9.40 | | | **DISPENSER,** 5 qt. Cans Flexspout |
| | N-82 | | 3.10 | | | **DRAINER,** Oil Can |
| 65 | N-83 | | 8.57 | | | **DRAINER,** Oil Can |
| 99 | 99 | | 2.64 | | | **HAN-D-GARD** Radiator Wrench |
| 102G | N102 | | 3.63 | | | **RADIATOR FILLER** 3 Gal. Galvanized |
| 104H | N104 | | 3.45 | | | **RADIATOR FILLER** 3 Gal. Hufflex |
| | N108 | | 5.95 | | | **BATTERY FILLER** 2 qt. Hufflex |
| 109 | 109 | | 7.96 | | | **TUBE TEST TANK** |
| 110 | 110 | | 1.29 | | | **MEASURE** 1 pt. Galvanized Rigid Spout |
| 111 | 111 | | 1.29 | | | **MEASURE** 1 qt. Galvanized Rigid Spout |
| 112 | 112 | | 1.70 | | | **MEASURE** 2 qt. Galvanized Rigid Spout |
| 114 | 114 | | 2.06 | | | **MEASURE** 4 qt. Galvanized Rigid Spout |
| 121 | 121 | | 2.06 | | | **MEASURE** 1 qt. Galvanized Flexspout |
| 122 | 122 | | 2.26 | | | **MEASURE** 2 qt. Galvanized Flexspout |
| 124 | 124 | | 2.77 | | | **MEASURE** 4 qt. Galvanized Flexspout |
| | 151 | | 1.29 | | | **MEASURE** 1 qt. Galvanized Lip |
| | 152 | | 1.70 | | | **MEASURE** 2 qt. Galvanized Lip |
| | 154 | | 2.06 | | | **MEASURE** 4 qt. Galvanized Lip |

**NOTE: All Canspouts available in skin pack. Designate by letter X after regular stock no. if skin pack desired.**

| OLD NO. | MODEL NO. | EACH DIST. | NET DEALER | UNIT QTY. | PACK WT. | DESCRIPTION |
|---|---|---|---|---|---|---|
| 312 | N162 | | 1.36 | | | PAIL, 3 Gal. Garage |
| 450 | 171 | | 11.54 | | | DRAIN PAN TANK |
| 172 | 172 | | 1.83 | | | DRAIN PAN |
| 174 | 174 | | 3.94 | | | DRAIN PAN |
| | 180 | | 16.42 | | | CAN, 5 Gal. Oily Waste |
| | 181 | | 17.88 | | | CAN, 6½ Gal. Oily Waste |
| | 182 | | 21.29 | | | CAN, 8 Gal. Oily Waste |
| | 183 | | 13.20 | | | TOP, Drum Trash |
| | 184 | | 20.77 | | | DOLLY, DRUM |
| 610 | N190 | | 13.20 | | | CAN, 10 Gal. Oily Waste – Foot Operated |
| 606 | N196 | | 12.20 | | | CAN, 6 Gal. Oily Waste – Foot Operated |
| 100 | 300 | | 8.30 | | | MEASURE, 1 pt. Rigid Spout – Copper Plated |
| 101 | 301 | | 9.83 | | | MEASURE, 1 qt. Rigid Spout – Copper Plated |
| 102 | 302 | | 10.71 | | | MEASURE, 2 qt. Rigid Spout – Copper Plated |
| 104 | 304 | | 12.27 | | | MEASURE, 4 qt. Rigid Spout – Copper Plated |
| 105 | 305 | | 13.31 | | | MEASURE, 5 qt. Rigid Spout – Copper Plated |
| 106 | 306 | | 14.17 | | | MEASURE, 6 qt. Rigid Spout – Copper Plated |
| 107 | 307 | | 14.50 | | | MEASURE, 7 qt. Rigid Spout – Copper Plated |
| 108 | 308 | | 14.79 | | | MEASURE, 8 qt. Rigid Spout – Copper Plated |
| 100P | 310 | | 6.94 | | | MEASURE, 1 pt. Rigid Spout – Golden Sheen |
| 101P | N-311 | | 7.76 | | | MEASURE, 1 qt. Rigid Spout – Golden Sheen |
| 102P | N-312 | | 8.43 | | | MEASURE, 2 qt. Rigid Spout – Golden Sheen |
| 104P | 314 | | 9.70 | | | MEASURE, 4 qt. Rigid Spout – Golden Sheen |
| 105P | N-315 | | 10.60 | | | MEASURE, 5 qt. Rigid Spout – Golden Sheen |
| 106P | 316 | | 11.31 | | | MEASURE, 6 qt. Rigid Spout – Golden Sheen |
| 107P | 317 | | 11.71 | | | MEASURE, 7 qt. Rigid Spout – Golden Sheen |
| 108P | 318 | | 11.86 | | | MEASURE, 8 qt. Rigid Spout – Golden Sheen |
| 701 | N-321 | | 8.71 | | | MEASURE, 1 qt. Flexspout – Copper Plated |
| 702 | N-322 | | 9.09 | | | MEASURE, 2 qt. Flexspout – Copper Plated |
| 704 | N-324 | | 10.57 | | | MEASURE, 4 qt. Flexspout – Copper Plated |
| 705 | N-325 | | 11.90 | | | MEASURE, 5 qt. Flexspout – Copper Plated |
| 706 | N-326 | | 12.34 | | | MEASURE, 6 qt. Flexspout – Copper Plated |
| 708 | N-328 | | 13.30 | | | MEASURE, 8 qt. Flexspout – Copper Plated |
| 701P | 331 | | 6.71 | | | MEASURE, 1 qt. Flexspout – Golden Sheen |
| 702P | 332 | | 7.09 | | | MEASURE, 2 qt. Flexspout – Golden Sheen |
| 704P | 334 | | 8.29 | | | MEASURE, 4 qt. Flexspout – Golden Sheen |
| 705P | 335 | | 9.40 | | | MEASURE, 5 qt. Flexspout – Golden Sheen |
| 706P | 336 | | 9.70 | | | MEASURE, 6 qt. Flexspout – Golden Sheen |
| 708P | 338 | | 10.37 | | | MEASURE, 8 qt. Flexspout – Golden Sheen |
| 1010 | 341 | | 11.06 | | | MEASURE. 1 qt. Transmission – Copper Plated |
| 1012 | 342 | | 11.86 | | | MEASURE, 2 qt. Transmission – Copper Plated |
| 1014 | 344 | | 13.64 | | | MEASURE, 4 qt. Transmission – Copper Plated |
| 1015 | 345 | | 14.76 | | | MEASURE, 5 qt. Transmission – Copper Plated |
| 1016 | 346 | | 15.64 | | | MEASURE, 6 qt. Transmission – Copper Plated |
| 1018 | 348 | | 16.34 | | | MEASURE, 8 qt. Transmission – Copper Plated |
| 1010P | 351 | | 8.17 | | | MEASURE, 1 qt. Transmission – Golden Sheen |
| 1012P | 352 | | 9.43 | | | MEASURE, 2 qt. Transmission – Golden Sheen |
| 1014P | 354 | | 10.36 | | | MEASURE, 4 qt. Transmission – Golden Sheen |
| 1015P | 355 | | 10.80 | | | MEASURE, 5 qt. Transmission – Golden Sheen |
| 1016P | 356 | | 11.43 | | | MEASURE, 6 qt. Transmission – Golden Sheen |
| 1018P | 358 | | 11.81 | | | MEASURE, 8 qt. Transmission – Golden Sheen |
| 200 | 360 | | 9.40 | | | MEASURE, 1 pt. With Cover – Copper Plated |
| 201 | 361 | | 10.50 | | | MEASURE, 1 qt. With Cover – Copper Plated |
| 202 | 362 | | 11.35 | | | MEASURE. 2 qt. With Cover – Copper Plated |
| 204 | 364 | | 12.85 | | | MEASURE, 4 qt. With Cover – Copper Plated |
| 205 | 365 | | 13.85 | | | MEASURE, 5 qt. With Cover – Copper Plated |
| 200P | 370 | | 7.40 | | | MEASURE, 1 pt. With Cover – Golden Sheen |
| 201P | 371 | | 8.20 | | | MEASURE, 1 qt. With Cover – Golden Sheen |
| 202P | 372 | | 8.95 | | | MEASURE, 2 qt. With Cover – Golden Sheen |
| 204P | 374 | | 10.10 | | | MEASURE, 4 qt. With Cover – Golden Sheen |
| 205P | 375 | | 10.95 | | | MEASURE, 5 qt. With Cover – Golden Sheen |

| OLD NO. | MODEL NO. | EACH DIST. | NET DEALER | UNIT QTY. | PACK WT. | DESCRIPTION |
|---|---|---|---|---|---|---|
| 501 | 381 | | 2.35 | | | **MEASURE,** 1 qt. Domestic – Golden Sheen |
| 502 | 382 | | 2.60 | | | **MEASURE,** 2 qt. Domestic – Golden Sheen |
| 250L | 395L | | 12.40 | | | **MEASURE,** 2½ Liter – Copper Plated |
| 250LP | 395LP | | 10.60 | | | **MEASURE,** 2½ Liter – Golden Sheen |
| | 400 | | .31 | | | **FUNNEL SCREEN** |
| | 401 | | 1.91 | | | **FUNNEL** 1 qt. Flexspout |
| D70 | 410 | | .76 | | | **FUNNEL** 1 pt. Galvanized |
| D71 | 411 | | .91 | | | **FUNNEL** 1 qt. Galvanized |
| D72 | 412 | | 1.14 | | | **FUNNEL** 2 qt. Galvanized |
| D74 | 414 | | 1.29 | | | **FUNNEL** 4 qt. Galvanized |
| | 421 | | 1.19 | | | **FUNNEL** 1 qt. Galvanized |
| | 422 | | 1.14 | | | **FUNNEL** 2 qt. Galvanized |
| | 423 | | 1.71 | | | **FUNNEL** 9½" Utility |
| | 426 | | 2.24 | | | **FUNNEL** 6 qt. Galvanized |
| 58 | 428 | | 2.71 | | | **FUNNEL** 8 qt. Galvanized |
| 55TF | 429 | | 2.53 | | | **FUNNEL** 10 qt. Tractor |
| 165 | 436 | | 3.10 | | | **FUNNEL** 6 qt. Sidetube |
| | 438 | | 3.54 | | | **FUNNEL** 8 qt. Sidetube |
| 130 | 439 | | .21 | | | **FUNNEL** 1/2 pt. Tin |
| 131 | 440 | | .24 | | | **FUNNEL** 1 pt. Tin |
| 132 | 441 | | .26 | | | **FUNNEL** 1 qt. Tin |
| 133 | 442 | | .30 | | | **FUNNEL** 2 qt. Tin |
| 134 | 444 | | .37 | | | **FUNNEL** 4 qt. Tin |
| | N450 | | .47 | | | **FUNNEL** 1 pt. Tin |
| | N451 | | .59 | | | **FUNNEL** 1 qt. Tin |
| | N452 | | .69 | | | **FUNNEL** 2 qt. Tin |
| | N454 | | .81 | | | **FUNNEL** 4 qt. Tin |
| A60 | 460 | | 1.00 | | | **FUNNELSPOUT** Painted |
| A62 | 462 | | 2.10 | | | **TRANSPOUT** Painted |
| | 507 | | 4.70 | | | **BATTERY FILLER** |
| 40 | N510 | | 16.78 | | | **CAN CRUSHER** – Hand Operated |
| 25 | 515 | | 42.50 | | | **CAN CRUSHER** – Air Operated |
| | 521 | | 11.17 | | | **MECHANICS SEAT** |
| | 522 | | 13.66 | | | **CREEPER,** 42" Adjustable Wood |
| | 523 | | 9.09 | | | **CREEPER,** 36" Steel/Standard Casters |
| | 523C | | .31 | | | **CREEPER CASTER** – Standard |
| | 525 | | 9.79 | | | **CREEPER,** 36" Wood |
| | 525C | | 1.03 | | | **CREEPER CASTER** – Loscoot |
| | 526 | | 12.10 | | | **CREEPER,** 36" Steel/Loscoot Casters |
| 80 | 527 | | .31 | | | **POURSPOUT,** Dust Cap and Gasket |
| | 528 | | .41 | | | **FLEXSPOUT,** Dust Cap and Gasket |
| | 529 | | .71 | | | **OIL BOTTLE,** Flexspout, Cap and Gasket |
| 84 | 530 | | 7.76 | | | **OIL BOTTLE SET** with pour spouts |
| 81 | 531 | | .30 | | | **OIL BOTTLE ONLY** |
| 85 | 532 | | .14 | | | **DUST CAP ONLY** |
| 86 | 533 | | .06 | | | **GASKET ONLY** |
| 87 | 534 | | .24 | | | **POURSPOUT ONLY** |
| | 535 | | 8.47 | | | **OIL BOTTLE SET** with Flexspouts |
| | 536 | | .34 | | | **FLEXSPOUT ONLY** |
| 77 | 537 | | 1.21 | | | **BOTLSPOUT,** Cap and Gasket |
| 83 | 538 | | 2.96 | | | **OIL BOTTLE BASKET** |
| 82 | 539 | | .61 | | | **OIL BOTTLE,** Pourspout, Cap and Gasket |
| 315 | 555 | | 19.28 | | | **TEST MEASURE,** 5 Gal. |
| | N558 | | 7.23 | | | **DISPENSER,** Drum Alcohol – Air Operated |
| | 559 | | 3.66 | | | **CLEANER,** Gear Case |
| | 560 | | 3.66 | | | **CLEANER,** Marine Motor |
| | 561 | | 3.66 | | | **CLEANER,** Marine Motor |
| | 562 | | 3.66 | | | **GUN,** Oil and Grease |
| | 563 | | 4.19 | | | **CLEANER,** Barrel |
| | 564 | | 3.66 | | | **CLEANER,** Differential |
| | 565 | | 3.27 | | | **GUN,** Hypoid |

| OLD NO. | MODEL NO. | EACH DIST. | NET DEALER | UNIT QTY. | PACK WT. | DESCRIPTION |
|---|---|---|---|---|---|---|
| 405R | 579R | | 19.84 | | | LIFT DRAIN, 5 Gal. Red |
| 405W | 579W | | 19.84 | | | LIFT DRAIN, 5 Gal. White |
| | 601 | | 1.79 | | | GAS CAN, 1 Gal. |
| | 601F | | 2.41 | | | GAS CAN, 1 Gal. with Flexspout |
| | 602 | | 2.14 | | | GAS CAN, 2 Gal. |
| | 602F | | 2.59 | | | GAS CAN, 2 Gal. Flexspout |
| | 602½ | | 2.23 | | | GAS CAN, 2½ Gal. |
| | 602½A | | 2.94 | | | GAS CAN 2½ Gal./Flexspout and Measure |
| | 602½F | | 2.77 | | | GAS CAN 2½ Gal. with Flexspout |
| | 605 | | 3.13 | | | GAS CAN 5 Gal. |
| | 605F | | 3.76 | | | GAS CAN 5 Gal./Flexspout |
| | 607 | | .54 | | | GAS CAN Oil Measure |
| | 611 | | 1.79 | | | GAS CAN 1 Gal. |
| | 612½F | | 5.80 | | | GAS CAN 2½ Gal. Flexspout Motorboat |
| | 615 | | 5.36 | | | GAS CAN 5 Gal. H-Duty |
| | 615F | | 7.59 | | | GAS CAN 5 Gal. Flexspout H-Duty |
| | 620 | | 8.04 | | | FILLER CAN, 5 Gal. H-Duty |
| | 622½F | | 6.26 | | | GAS CAN 2½ Gal. Flexspout Motorboat |
| | 625 | | 3.13 | | | GAS CAN 5 Gal. |
| | 625F | | 3.94 | | | GAS CAN 5 Gal. Flexspout |
| 191 | 631 | | 5.71 | | | GAS CAN 1 Gal. Safety |
| 192½ | 632½ | | 7.33 | | | GAS CAN 2½ Gal Safety |
| 195 | 635 | | 8.21 | | | GAS CAN 5 Gal. Safety |
| 196 | 636 | | 1.51 | | | SPOUT FOR SAFETY GAS CANS |
| | 642½ | | 6.26 | | | GAS CAN 2½ Gal. Motorboat |
| 92½F | 652½ F | | 3.21 | | | GAS CAN Light Weight 2½ Gal. |
| 541 | 655F | | 3.50 | | | GAS CAN Light Weight 5 Gal. |
| 470 | 661F | | 1.06 | | | GAS CAN Economy 1 Gal. |
| 510 | 662 F | | 1.50 | | | GAS CAN Economy 2 Gal. |
| | 813 | | .44 | | | OILER, Hand 1/3 Pt. |
| | 813A | | .47 | | | OILER, Hand 1/3 Pt. |
| | 813 F | | .73 | | | OILER, Hand 1/3 Pt. Flexspout |
| | 814 | | .50 | | | OILER, Hand 1/3 Pt. |
| | 814F | | .87 | | | OILER, Hand 1/2 Pt. Flexspout |
| | 815F | | .99 | | | OILER, Hand 1 Pt. Flexspout |
| S-3 | 827 | | 2.59 | | | OILER, 3/4 Pt. Pump |
| S-2 | 827A | | 2.06 | | | OILER, 3/4 Pt. Angle Spout Pump |
| S-3F | 827F | | 2.50 | | | OILER, 3/4 Pt. Flexspout Pump |
| | 828 | | 3.21 | | | OILER 1 Pt. Pump |
| | 829 | | 2.23 | | | OILER 1/3 Pt. Pump |
| | 829F | | 2.47 | | | OILER 1/3 Pt. Pump Flexspout |
| S-1 | 830 | | 1.34 | | | OILER 6 Oz. Pump |
| S-1-F | 830F | | 1.56 | | | OILER 6 Oz. Pump Flexspout |
| | 831 | | .90 | | | OILER 4 Oz. Pump |
| | 834 | | 2.33 | | | OILER 3/4 Pt. Pump |
| | 834F | | 2.77 | | | OILER 3/4 Pt. Pump Flexspout |
| S-1125 | 835 | | 2.69 | | | OILER 1 Pt. Pump |
| | 835F | | 3.13 | | | OILER 1 Pt. Pump Flexspout |
| | 836 | | 2.86 | | | OILER 1½ Pt. Pump |
| | 836F | | 3.30 | | | OILER 1½ Pt. Pump Flexspout |
| | 837 | | 3.04 | | | OILER 1 Qt. Pump |
| | 837F | | 3.49 | | | OILER 1 Qt. Pump Flexspout |
| | 838F | | 3.13 | | | OILER 1 Pt. Pump Flexspout |
| | 839F | | 3.57 | | | OILER 1 Qt. Pump Flexspout |

SWINGSPOUT MEASURE DIVISION
THE HUFFMAN MANUFACTURING COMPANY
AZUSA, CALIF.•CHICAGO, ILL.•DELPHOS, OHIO